



# SOFTWARE PRODUCT DESCRIPTION

## CHARON-AXP/SMA PLUS for Windows

Product version: 2.1 Build 28

### Description

CHARON-AXP/SMA PLUS (Small and Medium Alpha) is a member of the CHARON cross-platform hardware virtualization product-family by Stromasys. CHARON-AXP creates the virtual replica of the original AlphaServer hardware interface inside a standard computer system. It will run the Alpha operating systems OpenVMS and Tru64 UNIX including the layered products and application software in their existing, binary form. It quickly moves your Alpha software and data to a general purpose computer.

**CHARON-AXP/SMA PLUS for Windows** is designed to replace the following Alpha computer systems by its virtual equivalent running on a 64 bit Intel/AMD Windows Server 2003 R2 or Server 2008 R2 host platform:

- AlphaStation 500 & 600
- AlphaStation XP900 & XP1000
- Digital Personal Workstation (DPW)
- AlphaServer 800, 1200
- AlphaServer 2100 (4 CPUs), 4100 (4 CPUs)
- AlphaServer DS10, DS20 (2 CPUs), ES40 (4 CPUs)
- DMCC & Flexor (OEM-systems)

Most of the original Alpha-hardware is virtualized, allowing the **OpenVMS** or **Tru64** operating system and all software that is running in that environment to remain working as always. No changes to the original software (operating system, layered products or applications), its procedures or handling have to be applied.

### Network

CHARON-AXP virtualizes the Ethernet controllers as included in the original AlphaServer hardware that is replaced (DE435, DE450 and DE500). Any protocol that ran on these controllers (DECnet, TCP/IP, LAT) will run over this virtualized link.

### Storage

CHARON-AXP/SMA PLUS provides support for Alpha storage devices: disk, tape and generic SCSI via virtual KZPBA SCSI adapters. CHARON-AXP/SMA PLUS allows connecting Alpha SCSI devices to logical disks or tapes that appear as container files in the host operating system, connections to Windows physical devices and direct SCSI addressing. In the latter case the nature of the connected device is not important; the Alpha Operating system already included the drivers for these devices.

The storage support is based on SCSI, however CHARON-AXP/SMA PLUS includes a special OpenVMS driver that allows to present OpenVMS with other device types: IDE (DQA), FibreChannel (DGA), DSSI (DIA), RAIDarray (DRA) and MSCP (DUA), next to SCSI (DKA/MKA/GKA).

The nature of the storage technology on the host computer is hidden the Alpha Operating system, allowing to store (e.g.) SCSI or IDE disk on a FibreChannel SAN.



### Performance

When run on a HP Proliant with multi-core 3 GHz processor CHARON-AXP/SMA PLUS provides approximately similar performance than the Alpha hardware it replaces.

### Host system requirements

CHARON-AXP is designed to run on 64 bit Windows Server 2003 R2 or Server 2008 R2, which is supported by AMD and Intel processor systems.

CHARON-AXP/SMA PLUS virtualizes a single or multiple (up to 4) CPUs Alpha system and therefore claims one of the CPU's on the host system for every virtual Alpha CPU. Additional host CPU capacity is required for I/O handling and other virtualization support tasks. CHARON-AXP/SMA PLUS licensing allows combining multiple licenses on one multi-core host system, when the rule of reserving 1 additional hosting CPU core for every virtual Alpha CPU.

### Product license key

The CHARON USB-type license key is permanently connected to the host system running CHARON-AXP. It preserves the customer specific license parameters, allows remote electronic updates and enables rapid change of host systems as the CHARON executable itself can be installed on multiple systems.

For mission critical applications a backup key containing 720 hours execution time can be ordered to meet any disaster recovery plan that requires replacement hardware.

### Documentation

- User manual, on the installation CD and on the web.
- Release notes, on the installation CD and on the web:

### Additional utilities

**Taskbar menu:** Manage the active virtual Alpha's

**MKdisk:** Create empty VAX disk images

**SCSIcheck:** Locate CHARON names for disks, tapes, CD's floppy disks and other SCSI devices

**I/O bypass driver:** Flexible device definition and more efficient I/O (OpenVMS only)

**Idle:** Suspends host CPU usage when the operating system is idle (energy save mode). Valid for OpenVMS only.



### User environment

After installation the system will behave like the Alpha it replaces and should be treated like that Alpha. Operating procedures will be the same and we advise not to treat it as a Windows system, despite the fact it runs on a Windows kernel. The product documentation includes an advisory for switching off unused Windows services and the Windows kernel can be disconnected from the network after installation.

Virtualized Alpha System	AlphaStation 500, 600 and DPW; AlphaStation XP900 & XP1000 AlphaServer 800, 1200; AlphaServer 2100, 4100; AlphaServer DS10, DS20, ES40; DMCC & Flexor (OEM-systems)
Earliest OpenVMS Version	6.2-1h3
Earliest Tru64 Version	3.2C
CPU in Base license	1
Max number of CPUs	4 (depends on the AlphaServer model)
Max virtual Memory in Base license	4 GB
Additional 4 GB extra memory option	Yes
SCSI subsystem	KZPBA adapter (can also replace KZPAA, KZPSA, KZPAC, KZPSC, PZPCM)
FibreChannel support	OpenVMS only <sup>1)</sup>
MSCP support	OpenVMS only <sup>1)</sup>
IDE support	OpenVMS only <sup>1)</sup>
DSSI support	OpenVMS only <sup>1)</sup>
RAID array support	OpenVMS only <sup>1)</sup>
Ethernet adapter	DE435, DE450, DE500 utilizing the line speed of the host adapter (max 1Gbps)
Serial Lines Adapter	PBXDA (max 8)
COM port support	Yes
Max number of adapters supported	20 (any combination)
Disk support	Logical files in Windows directory, Windows physical disks, SCSI device address.
Tape support	Logical files in Windows directory, Windows physical disks, SCSI device address, USB tape device support
Generic SCSI device (type unknown)	Yes
Clustering support	Yes

<sup>1)</sup> Requires a special driver, offering the right device name, which is available for OpenVMS only

### Ordering information

<b>CHARON-AXP/SMA PLUS</b>	<b>Individual license</b>
Unlimited run time license	CHAXP-807IP-WI
One year license	CHAXP-807IY-WI
720 hour disaster recovery license	CHAXP-807IK-WI
GOLD-support (9x5)	CHAXP-807IU-WI
Platinum support (24-7)	CHAXP-807IT-WI
Additional virtual AXP CPU (unlimited)	CHAXP-CPUIP-WI
Additional virtual AXP CPU (one year)	CHAXP-CPUIY-WI
GOLD-support (9x5) for additional CPU	CHAXP-CPUIU-WI
Platinum support (24-7) for Additional CPU	CHAXP-CPUIT-WI
Additional 4 GB memory (unlimited)	CHAXP-04GBP-WI
Additional 4 GB memory (one year)	CHAXP-04GBY-WI

## PRESERVING YOUR SOFTWARE INVESTMENT ACROSS HARDWARE GENERATIONS !

STROMASYS SA  
 Headquarters  
 Ch. du Pont-du-Centenaire 109  
 1228 Plan-les-Quates  
 Switzerland  
 Phone: +41 22 794 1070  
 Fax: +41 22 794 1073  
 Email: info@stromasys.com

STROMASYS APAC LTD  
 Asia Pacific Region  
 2/F Eton Tower  
 8 Hysan Avenue  
 Causeway Bay, Hong Kong  
 Phone: +852 2910 7730  
 Fax: +852 2910 7729  
 Email: apac.sales@stromasys.com

STROMASYS INC  
 Americas Region  
 3801 Lake Boone Trail, Suite 410  
 Raleigh, NC 27607  
 United States of America  
 Phone: +1 919 239 8450  
 Fax: +1 919 239 8451  
 Email: us.sales@stromasys.com

STROMASYS GmbH  
 Europe, Middle-East & Africa  
 Landsberger Strasse 290  
 80687 Munich  
 Germany  
 Tel. +49 89 5404132-0  
 Fax. +49 89 5404132-29  
 Email: emea@stromasys.com